

# Health Net's Preventive Screening Guidelines

*Guidelines for children and adults*



**Ramon Munoz,**  
Health Net  
*We make your health  
our priority.*



Health Net®

Use this guide to help remind you to schedule well-care visits with your family doctor. Always seek and follow the care and advice of your doctor because these guidelines are updated regularly and may change.

This information is not medical advice and does not mean specific benefit coverage. Please check your plan benefit language for coverage, limitations and exclusions.

### Recommended immunization (shots) schedule for persons ages 0 through 6 years<sup>1,2</sup>

Vaccine	Birth	1 mo	2 mos	4 mos	6 mos	9 mos	12 mos	15 mos	18 mos	19–23 mos	2–3 yrs	4 yrs	5 yrs	6 yrs
Hepatitis B (HepB)	✓	✓		Catch up if needed	✓									Catch up if needed
Rotavirus (RV)			✓	✓	✓									
Diphtheria, tetanus, pertussis (DTaP)			✓	✓	✓	Catch up if needed		✓		Catch up if needed		✓		
Haemophilus influenzae type b (Hib)			✓	✓	✓	Catch up if needed	✓			Catch up if needed				For high-risk groups
Pneumococcal			✓	✓	✓	Catch up if needed	✓			Catch up if needed				For high-risk groups
Inactivated poliovirus (IPV)			✓	✓	✓					Catch up if needed		✓		
Influenza (flu)					✓ Yearly									
Measles, mumps, rubella (MMR)					For high-risk groups		✓			Catch up if needed		✓		
Varicella (VAR)							✓			Catch up if needed		✓		
Hepatitis A (HepA)								✓ 2 doses					✓ As your doctor suggests, for high-risk groups	
Meningococcal					✓ For high-risk groups									

### Recommended immunization (shots) schedule for persons ages 7 through 18 years<sup>1,2</sup>

Vaccine	7–10 yrs	11–12 yrs	13–18 yrs
Tetanus, diphtheria, pertussis (Tdap)	Catch-up immunizations	✓ 1 dose	Catch-up immunizations
Human papillomavirus (HPV)	For high-risk groups	✓ As your doctor suggests	Catch-up immunizations
Influenza (flu)	✓ Yearly		
Pneumococcal	For high-risk groups		
Hepatitis A (HepA)	As your doctor suggests, for high-risk groups		
Hepatitis B (HepB)	Catch-up immunizations		
Inactivated poliovirus (IPV)	Catch-up immunizations		
Measles, mumps, rubella (MMR)	Catch-up immunizations		
Varicella (VAR)	Catch-up immunizations		
Haemophilus influenzae type b (Hib)	For high-risk groups		
Meningococcal	For high-risk groups	✓ 1 dose	✓ Catch-up immunizations, booster at age 16
Meningococcal B	For high-risk groups, ages 10–18 years		

### Recommended screenings (tests) for persons ages 0 through 18 years<sup>1,2,3</sup>

Service	Birth–6 mos	9 mos	12 mos	15 mos	18 mos	19–36 mos	3–10 yrs	11–12 yrs	13–18 yrs
Routine health exam <sup>1,2,3</sup>	At birth, 3–5 days, and at 1, 2, 4, and 6 months	Every 3 months				Every 6 months	Every year		
Lead testing	Screen at any age as your doctor suggests								
Dental visit		Every 6–12 months, or as your dentist suggests							
Blood test	Once between 0–2 months	Check at 4 and 12 months, and during routine health exam if high risk or as your doctor suggests							
Body mass index (BMI)							Starting at age 2, check BMI during routine health exam		

## Recommended immunization (shots) schedule for adults<sup>1,2</sup>

Vaccine	19–26 yrs	27–49 yrs	50–59 yrs	60–64 yrs	65 yrs and over
Tetanus, diphtheria, pertussis (Td/Tdap)	✓ 1 dose Tdap, then boost with Td every 10 years				
Human papillomavirus (HPV)	✓ As your doctor suggests				
Varicella (VAR)	✓ 2 doses				
Zoster			✓ 2 doses RZV starting at age 50 or 1 dose ZVL starting at age 60		
Measles, mumps, rubella (MMR)	✓ 1 or 2 doses or as your doctor suggests				
Influenza (flu)	✓ Every year				
Pneumococcal (PPSV 23 or PCV 13)	If high risk or as your doctor suggests				✓ 1 dose
Hepatitis A (HepA)	2 or 3 doses if high risk or as your doctor suggests				
Hepatitis B (HepB)	3 doses if high risk or as your doctor suggests				
Haemophilus influenzae type b (Hib)	1 or 3 doses if high risk or as your doctor suggests				
Meningococcal	1 or more doses if high risk or as your doctor suggests				
Meningococcal B	2 or 3 doses if high risk or as your doctor suggests				

## Health screenings (tests) for adults<sup>1,2,4</sup>

Service	19–39 yrs	40–64 yrs	65 yrs and over
Routine health exam <sup>1,2,4</sup>	Every year		
Hearing screening to check for hearing loss		As your doctor suggests	
Vision screening to check for eye problems	Every 5–10 years	Every 2–4 years for ages 40–54; every 1–3 years for ages 55–64	Every 1–2 years
Aspirin therapy to prevent heart disease		Discuss with your doctor in routine health exam	
Blood pressure to check for high blood pressure	Every 1–2 years		
Body mass index (BMI) to check for obesity	Check during routine health exams		
Cholesterol screening to check for blood fats	As your doctor suggests	If at increased risk, check every 5 years starting at age 35 for men and age 45 for women	
Colorectal cancer screening to check for colorectal cancer		For ages 40–49, as your doctor suggests. Beginning at age 50, talk to your doctor about how often and what test to be done	
Glucose screening to check for blood sugar	Check if high risk	Every 3 years or as your doctor suggests	
Human immunodeficiency virus (HIV)	One-time screening, repeat screening if at high risk		As your doctor suggests
Dental	Every 6 months		
Hepatitis C and hepatitis B	Screen if high risk or as your doctor suggests		

## Health screenings (tests) for adults<sup>1</sup>

Service	19–39 yrs	40–64 yrs	65 yrs and older
<b>Pelvic exam with Pap test to check for cervical cancer</b>	For sexually active non-pregnant people, starting at age 21, screen every 3 years; starting at age 30, screen every 3–5 years or as your doctor suggests		As your doctor suggests
<b>Mammogram to check for breast cancer</b>	Check every year starting at age 35	Every 1–2 years or as your doctor suggests	
<b>Breast exam by doctor</b>	Every 1–3 years	Every year	
<b>Breast self-exam/breast self-awareness to check for breast changes</b>	Monthly		
<b>Chlamydia screening to check for chlamydia, a sexually transmitted disease</b>	Every year through age 24 for sexually active non-pregnant people; every year beginning at age 24 if high risk		
<b>Bone density test to check for bone loss</b>		Screening based on risk	Every 2 years

## Health screenings (tests) for adults<sup>1</sup>

Service	19–39 yrs	40–64 yrs	65 yrs and older
<b>Prostate-specific antigen (PSA/DRE) to check for prostate cancer</b>		As your doctor suggests	
<b>Abdominal ultrasound to check for abdominal aortic aneurysm (swelling of a large blood vessel around the stomach area)</b>			Once, for those ages 65–75 who have ever smoked or have risks
<b>Testicles self-exam</b>	As your doctor suggests		

<sup>1</sup>These guidelines may change. Please speak with your doctor.

<sup>2</sup>Doctor should follow proper series and current guidelines by the Centers for Disease Control and Prevention (CDC).

<sup>3</sup>Routine health exams, counseling and education for children and adolescents should include measuring the patient's height, weight, blood pressure, and body mass index (BMI), and vision and hearing tests. Counseling and education could include but are not limited to:

- contraception/family planning
- critical congenital heart defect, heart health
- dental health
- developmental/behavioral assessment
- injury/violence prevention
- mental health, e.g., depression/eating disorders
- nutrition/exercise
- sexually transmitted infections (STIs) and HIV screening
- substance abuse, e.g., alcohol and drug abuse prevention
- tobacco use and smoking cessation
- tuberculosis (TB) screening
- weight management

<sup>4</sup>Routine health exams, counseling and education for adults should include measuring the patient's height, weight, blood pressure, and body mass index (BMI); vision and hearing tests; depression screening; and screening for alcohol or drug use. Recommendations vary based on history and risk factors. Counseling and education could include:

- cancer screenings, e.g., lung cancer screening and BRCA risk assessment
- contraception/pre-pregnancy
- dental health
- drug prevention/cessation
- family planning
- heart health, electrocardiogram (ECG) screening
- injury/violence prevention
- maternity planning
- menopause
- mental health, e.g., depression/eating disorders
- nutrition/exercise
- sexual practices, sexually transmitted infections (STIs) and HIV screening
- substance abuse, e.g., alcohol and drug abuse prevention
- tobacco use and smoking cessation
- tuberculosis (TB) screening
- weight management

## For more information

Call the Health Net Customer Contact Center at the number shown on your ID card, or visit our website at [www.healthnet.com](http://www.healthnet.com).